

This page provides instructions to create a certified PDF file from QuarkXpress 6.x and InDesign CS. A PDF is only as good as the document from which it was produced. When preparing your original document, please follow the [Digital Guidelines](#) section. Please note that all fonts must be embedded in the PDF, and not all TrueType fonts can be embedded. Type 1 fonts are strongly recommended.

What You Will Need

- A page layout program, – QuarkXPress 4.x (preferred) or PageMaker 6.x.
- Jaws PDF Creator v3.4

Jaws PDF Creator Installation-Instructions

Before Installing

If you are using Niknak (v1.1) on your system, it is recommended that you uninstall it before installing Jaws PDF Creator. If you are using an earlier version of 5D PDF Creator on your system, there is no need to uninstall before installing the current version.

Installation

Jaws PDF Creator is supplied on CD-ROM with its own installer, or as a download from a distributor or www.jawspdf.com. If using a download, run the setup.exe file. If using a CD, and you have Autorun enabled, the installer starts automatically when you insert the CD-ROM into the drive. Otherwise use one of the following options:

- Choose Settings > Control Panel from the Start menu. Select Add/Remove Programs in the Control Panel window, and click Install... in the dialog box which appears.
- Enter D:\setup.exe and click the Finish button.
- Choose Run... from the Start menu and enter D:\setup.exe. If your CD-ROM is assigned to a different drive letter, enter a different path name accordingly, and click OK.
- Using Windows Explorer, open the root folder for your CD-ROM drive and double-click the program setup.exe. Follow the instructions displayed on the screen.

NOTE: On Windows NT, Windows 2000 and Windows XP, you must be logged in as an Administrator to install PDF Creator.

Jaws PC DDAF Setup

• After installation you will see an icon on your desktop called Jaws ToPDF. Double click the icon to open the PostScript To PDF Converter dialog box (fig. A).

• Choose Configure from the Settings menu (fig. B).

• Click the Edit Configuration button (fig. C).

• Select Press Ready from the drop down menu. Click the Duplicate button. Change the Name to DDAFOptimized-Jaws 3.0 (fig. D). Click OK. (You may want to check the box Make this configuration available to all users if you have defined more than one user on your PC.)

• Click the General tab (fig. E). Change PDF File Format: PDF v1.3, Thumbnail Generation: None, Resolution: 2400, and make sure all checkboxes are unchecked. (Note: you may want to check the box for View the PDF file after creation to automatically look at the PDF file you just created.)

• Click the the Advanced Button (fig. F). From the Transfer Functions drop down menu select Remove. Make sure the Preserve Overprint checkbox is checked, and make sure all other checkboxes are unchecked. From the Use %%BoundingBox Box drop-down menu select Nothing. Make sure the Preserve OPI Comments checkbox is unchecked. Click OK.

• Click the Compression tab (fig. G). From the three Downsampling drop down menus select Don't Downsample. From the three Compression drop-down menus, select ZIP. Make sure the Compress Text checkbox is checked.


• Click the Font Embedding tab (fig. H). Make sure all checkboxes are checked**. (Except for 2000 & XP please uncheck the Use original True Type fonts box)
 (**Please Note: The Microsoft printer drivers for Windows 2000 and XP can handle TrueType fonts, however for Windows NT and Windows 98/Me cannot embed TrueType fonts in the Postscript language file as Type 42 fonts. You may enable font substitution to address this issue, but there may be some instances of issues with this fix. Please refer to pages 66-68 of your manual for more information.)

• Click the Security tab (fig. I). Make sure the Encrypt PDF files checkbox is unchecked. Click OK.


• You should see the new DDAFOptimized-Jaws 3.0 you just created in the drop down menu (fig. J). Click OK. Click Done. Close the Jaws PDF Creator control panel window.




A



B



C



D



E



F



G



H



I



J

Creating a Jaws PDF from Quark 4

- Choose Print from the file menu.

- Select Jaws PDF Creator from the Printer drop down menu.

- In the main print dialog box, click on the Document tab (fig. A). Make sure all checkboxes are unchecked, Page Sequence is All, Registration is centered, Tiling is Off, Bleed is .125" and Offset is 12 pt.

- Click on the Setup tab (fig. B). Set the Printer Description to Jaws PDF Creator. (Change the Paper Width and Paper Height adding 1 inch to the trim size in both the Paper Height and Width. This will eliminate the large paper size). Make sure Reduce or Enlarge is 100% and set the Page Positioning to Center. Paper Offset and Page Gap should be 0, Fit in Print Area should be unchecked and Orientation should be Portrait.


- Click on the Output tab (fig. C). Set Print Colors to Composite CMYK (or Grayscale for a Black and White ad), Halftoning to Printer, and Resolution to 2400 dpi. Make sure that only the process colors (Cyan, Magenta, Yellow and Black) are displayed in the lower half of the window. If additional colors are displayed, corrections must be made to the ad before proceeding.

- Click on the Options tab (fig. D). Quark PostScript Error Handler and Negative Print should be unchecked. Page Flip should be None, Output: Normal, Data: Binary, OPI: Include Images. Overprint EPS Black and Full Resolution TIFF Output should both be checked.


- Click on the Preview tab (fig. E). Make sure the ad and registration marks fit within the page outline.

- Click Print. Wait patiently for a Save window to appear (fig. F). Choose the destination. At this point you may choose to change the name of the file. Under the Configuration drop-down menu select DDAPOptimized-Jaws 3.0. Click Save.


- Wait a few minutes (depending on your file size), and the PDF will appear at the destination you selected.




A



B



C



D



E



F

